

Triple Action

Cleaner, Degreaser & Disinfectant



Applications:

Dilute according to the dilution rates mentioned on the label. Apply using an auto-scrubber, mop, sponge, cloth or trigger sprayer. Heavily soiled surfaces must be cleaned prior to disinfection. Thoroughly apply diluted solution to wet the surface. For disinfection, allow to remain wet for 10 minutes then remove excess liquid.

Benefits:

- Cleans, degreases and disinfects in one easy step
- Effectively cuts through grease, oil and heavily soiled surfaces
- Safe to use – non-butyl water-based
- Buffered alkaline pH – maintains strength throughout cleaning task
- Reduces inventory
- Available as a concentrate, a ready-to-use, and wipes


Codes:

- **Product Code:** 51345 (5 L)
51349 (20 L)
51350 (210 L)
- **UPC:** 0 56069 51347 0 (5 L)
0 56069 51349 4 (20 L)
0 56069 51350 0 (210 L)


Specifications:

Colour	Pink
DIN	02322110
Odour	Citrus
pH	12.0 - 12.5
Viscosity	Not determined
Solvent	No
Phosphates	Yes
WHMIS	Exempt
ECOLOGO®	No
Food Safe	Yes
Kosher	Yes
Shelf Life	Expiry date

Dilution Rates:



Available Formats:



Packaging:

- Bottle:** 6.1" x 6.1" x 12.6"
(15.5 x 15.5 x 31.9 cm)
12.25 lbs (5.56 kg)
- Pail:** 12" x 12" x 16"
(30.5 x 30.5 x 41 cm)
48 lbs (22 kg)
- Box (5 L):** 12.4" x 12.4" x 13"
49 lbs (22.23 kg)
4 per case



Triple Action

Microbiology Efficacy Data Summary



Kill Claims: Disinfectant – AOAC Use-Dilution Test

Organism	ATCC#	Dilution	Replicates	Results
Pseudomonas aeruginosa	10524	800 ppm	60, 60, 60	0/60, 0/60, 0/60
Staphylococcus aureus	6538	400 ppm	60, 60, 60	0/60, 0/60, 0/60
Salmonella choleraesuis	10708	400 ppm	60, 60, 60	0/60, 0/60, 0/60

Kill Claims: Sanitizer – AOAC Disinfection - Germicidal And Detergent Sanitizer Test

Test Conditions: 500 ppm hard water (as CaCO₃), 5% organic soil (Blood Serum)

Organism	ATCC#	Dilution	Replicates	Results (% Reduction)
Escherichia coli	11229	200 ppm	2	99.999
Staphylococcus aureus	6538	200 ppm	2	99.999

Triple Action is a Hospital Disinfectant at 50 mL/L, Bacteriacidal according to the current AOAC Disinfectants Use-Dilution Method, Fungicidal according to the AOAC fungicidal test and Virucidal* according to the virucidal qualification, modified in the presence of 5% organic serum against: *Campylobacter jejuni*, *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Salmonella typhi*, *Escherichia coli* pathogenic strain 0157:H7, *Trichophyton*, mentagrophytes, *Yersinia enterocolitica*, *Influenza A2/Hong Kong (H1N1), *Vaccinia*, Human Immunodeficiency Virus, Adenovirus Type 5, Infectious Laryngotracheitis Virus, *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Pseudomonas cepacia*, *Escherichia coli*, Herpes Simplex Type 1, Herpes Simplex Type 2

Efficacy tests performed by Microbiology Department - Lonza Inc., Fairlawn, New Jersey.
08-03-94-TC-2095

Handle in accordance with good industrial hygiene and safety practice. Use protective equipment recommended in section 8. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling.